

Refined Solid Brass
for the **Ultimate** in Design.

design
ELEMENTS™







The world's favorite lock

An ASSA ABLOY Group brand

ASSA ABLOY

Knobs & Levers



Deadbolts & Handlesets

Medallion Deadbolt



Rondel Deadbolt



Ovalette Deadbolt



Acclaim
Non-interconnected




Ovation
Interconnected Standard
Non-interconnected model available




Pedestal
Interconnected Standard
Non-interconnected model available

design
ELEMENTS™



Polished Brass
US3 PVD



Oil Rubbed
Bronze US10B



Satin Nickel
US15



Polished
Chrome US26

Designer Finishes

Features & Specifications

Unique Design Elements™ from Yale®

Lifetime limited warranty for original owner – finish & mechanical operation

Quick install feature – engineered to overcome potential installation problems and to deliver extended durability. Makes installation easy, in 3 simple steps.

Solid brass composition – provides high-quality feel and look

Solidly engineered mechanisms – designed to overcome problems during installation and for long-lasting performance

Matching deadbolt rosettes – exterior rosettes match interior rosettes

Push pin locking privacy – easy, single operation to unlock

Interconnected handleset – one motion latch/deadbolt activation

Handleset mounting plates – quick mount plate for handleset installation

Standard Specifications

Door Bores

2 1/8" Face Bore, 1" Edge Bore
Latch Face 1" x 2 1/4"
RC(Round Corner) or SC(Square Corner)

Backset

2 3/8" Fixed – RC/SC
2 3/4" Fixed – RC/SC
Drive-in latch available for Passage & Privacy only

RC & SC latch face strike plates included with Passage & Privacy locks

Door Thickness

1 3/8" to 1 3/4"
Extension kit required for 2" to 2 1/4"

Interconnected Handlesets

5 1/2" on center

Cylinder

Yale KW 5 Pin All Brass Cylinder

Keying

BOX PACK: KD (Keyed Different)
Specialty Keying Available
CLEAR PACK: KD (Keyed Different)

Keyway

Yale KW 5 Pin
Schlage® Keyway Available

Faceplate

1" W x 2 1/4" H RC/SC

Strike

Knobs, Levers & Handleset

BOX PACK: 2 1/4" Full Lip RC/SC

Deadbolts

BOX PACK: 1 1/8" x 2 3/4"

Handlesets

Bores

2 1/8" Standard Bore
1 Piece Handlesets Standard 5 1/2" center-to-center

Interconnected

Standard on 1 Piece Handlesets
Specify right or left-handed for all interconnected handlesets for both knobs and levers

Door handing

Specify right or left-handed for all passage, privacy, and dummy levers

Interior Trim

BOX PACK:
Ovation & Acclaim – Ellipse Knob

BOX PACK:

Pedestal – Demi-Round Knob
All lever and knob styles available, but must be specified at time of order

Finishes

Polished Brass US3 PVD – PVD protection is standard for all Polished Brass finishes
Oil Rubbed Bronze US10B
Satin Nickel US15
Polished Chrome US26*

* US26 not available in keyed entry



The world's favorite lock



Yale Locks & Hardware

100 Yale Avenue
Lenoir City, TN 37771-3226 USA
Tel 1-800-438-1951 Fax 1-800-338-0965
www.yalelocks.com

Yale Locks & Hardware is a division of Yale Security Inc., an ASSA ABLOY Group company.

Yale® is a registered trademark of Yale Security Inc., an ASSA ABLOY Group Company. Design Elements™ is a trademark of Yale Security Inc., an ASSA ABLOY Group Company. Other products' brand names may be trademarks or registered trademarks of their respective owners and are mentioned for reference purposes only. These materials are protected under US copyright laws. All contents current at time of publication. Yale Security Inc., an ASSA ABLOY Group Company, reserves the right to change availability of any item in this brochure, its design, construction and/or its materials. Copyright 2010. Yale Security Inc., an ASSA ABLOY Group Company. All rights reserved. Reproduction in whole or in part without the express written permission of Yale Security Inc. is prohibited.

The ASSA ABLOY Group is the world's leading manufacturer and supplier of locking solutions, meeting tough end-user demands for safety, security and user friendliness.

099648 5/10

An ASSA ABLOY Group brand

ASSA ABLOY